

Package ‘NMI’

October 12, 2022

Title Normalized Mutual Information of Community Structure in Network

Version 2.0

Description Calculates the normalized mutual information (NMI) of two community structures in network analysis.

Depends R (>= 3.2.2)

License GNU General Public License version 2

Encoding UTF-8

LazyData true

RoxygenNote 5.0.1

NeedsCompilation no

Author Tianhao Wu [aut, cre]

Maintainer Tianhao Wu <tianhao.wu@yale.edu>

Repository CRAN

Date/Publication 2016-08-20 15:36:57

R topics documented:

NMI	1
Index	3

NMI *Normalized Mutual Information of Community Structure in Network*

Description

Calculates the normalized mutual information (NMI) of two community structures in network analysis.

Usage

NMI(X, Y)

Arguments

X a data frame or matrix whose first column is the node id and the second column is module

Y a data frame or matrix whose first column is the node id and the second column is module

Value

value value of NMI

Examples

```
# Suppose X and Y are exactly the same
X<-data.frame(c(1,2,3),c(2,1,1))
Y<-X
# There NMI is 1
NMI(X,Y)

# Suppose X and Y are completely independent
X<-data.frame(c(1,2,3),c(2,1,1))
Y<-data.frame(c(5,6,7),c(2,1,1))
# There NMI is 0
NMI(X,Y)
```

Index

NMI, 1