

# Package ‘whitechapelR’

October 12, 2022

**Title** Advanced Policing Techniques for the Board Game “Letters from Whitechapel”

**Version** 0.3.0

**Description** Provides a set of functions to make tracking the hidden movements of the 'Jack' player easier. By tracking every possible path Jack might have traveled from the point of the initial murder including special movement such as through alleyways and via carriages, the police can more accurately narrow the field of their search. Additionally, by tracking all possible hideouts from round to round, rounds 3 and 4 should have a vastly reduced field of search.

**Depends** R (>= 3.3)

**License** MIT + file LICENSE

**Encoding** UTF-8

**LazyData** true

**Imports** plyr, igraph

**Suggests** covr, testthat

**RoxygenNote** 6.0.1

**NeedsCompilation** no

**Author** Mark Ewing [aut, cre]

**Maintainer** Mark Ewing <b.mark@ewingsonline.com>

**Repository** CRAN

**Date/Publication** 2018-10-02 17:40:03 UTC

## R topics documented:

alley . . . . .	2
end_round . . . . .	2
inspect_space . . . . .	3
node_locations . . . . .	4
roads . . . . .	4
show_board . . . . .	5
start_round . . . . .	6

take_a_carriage . . . . .	6
take_a_step . . . . .	7
trim_possibilities . . . . .	7

<b>Index</b>	<b>9</b>
--------------	----------

---

alley	<i>Undirected edge pairing of alley connecting nodes</i>
-------	--

---

### Description

Data used to establish possible connections used by Jack between nodes via alleyways

### Usage

alley

### Format

A data frame with 452 rows and 2 variables

**x** The smaller integer of the pair of vertices

**y** The larger integer of the pair of vertices

---

end_round	<i>Manage list of possible hideouts</i>
-----------	---

---

### Description

Create or update a list of possible hideouts based on final positions from the list of possible paths traveled.

### Usage

```
end_round(paths, hideouts = NULL)
```

### Arguments

paths list of all possible paths already traveled

hideouts optional vector of possible hideouts from previous rounds. Not used in round 1, only rounds 2 and 3

### Value

list of all possible hideouts

**Examples**

```

possibilities = start_round(64)
possibilities = take_a_step(possibilities,roads)
possibilities = take_a_step(possibilities,roads,blocked=list(c(63,82),c(63,65)))
possibilities = inspect_space(possibilities,space = c(29,30), clue = FALSE)
possibilities = inspect_space(possibilities,space = 49, clue = TRUE)
hideouts = end_round(possibilities,hideouts=NULL)
possibilities = start_round(67)
possibilities = take_a_step(possibilities,roads)
hideouts = end_round(possibilities,hideouts=hideouts)

```

---

inspect_space	<i>Update paths based on inspections</i>
---------------	--

---

**Description**

Updated the list of possible paths based on the results of police investigation

**Usage**

```
inspect_space(paths, space, clue)
```

**Arguments**

paths	list of all possible paths already traveled
space	vector of integers of the spaces inspected
clue	single logical value indicating if evidence of Jack was found

**Value**

list of all possible paths traveled by Jack

**Examples**

```

possibilities = start_round(64)
possibilities = take_a_step(possibilities,roads)
possibilities = take_a_step(possibilities,roads,blocked=list(c(63,82),c(63,65)))
possibilities = inspect_space(possibilities,space = c(29,30), clue = FALSE)
possibilities = inspect_space(possibilities,space = 49, clue = TRUE)

```

---

node_locations	<i>x,y coordinates of node points from the game board</i>
----------------	---

---

### Description

Data used to place nodes in graphical output according to their relative positions on the game board

### Usage

node\_locations

### Format

A data frame with 195 rows and 4 variables

**id** An artifact of the computer vision process used to obtain coordinates

**x** The number of pixels from the left edge of the board to the center of the node

**y** The number of pixels from the top edge of the board to the center of the node

**name** The integer assigned to the node on the game board

---

roads	<i>Undirected edge pairing of roads connecting nodes</i>
-------	--

---

### Description

Data used to establish possible connections used by Jack between nodes

### Usage

roads

### Format

A data frame with 767 rows and 2 variables

**x** The smaller integer of the pair of vertices

**y** The larger integer of the pair of vertices

---

show_board	<i>Display game board representation</i>
------------	--

---

### Description

Show a graph representation of the game board with nodes placed in the appropriate relative spot, colored by the number of paths which include a particular node. Possible hideouts are marked with blue squares.

### Usage

```
show_board(paths = NULL, hideouts = NULL, roads, alley, node_locations)
```

### Arguments

paths	optional list of all possible paths already traveled
hideouts	optional vector of possible hideouts from previous rounds.
roads	data.frame of non-directional edge pairs for the road graph
alley	data.frame of non-directional edge pairs for the alley graph
node_locations	data.frame of where nodes should be placed in the graph

### Details

roads, alley and node\_locations are all bundled with the package (e.g. data(roads)). Solid lines in the graph represent road connections between nodes. Dashed lines represent alley way connections.

### Value

plotted igraph object

### Examples

```
possibilities = start_round(64)
possibilities = take_a_step(possibilities,roads)
possibilities = take_a_step(possibilities,roads,blocked=list(c(63,82),c(63,65)))
possibilities = take_a_step(possibilities,alley)
show_board(paths=possibilities,hideouts=NULL,roads,alley,node_locations)
```

---

start_round	<i>Start a new round</i>
-------------	--------------------------

---

**Description**

Generate the initial list for a new round

**Usage**

```
start_round(initial_murder)
```

**Arguments**

initial\_murder integer Space of the initial murder(s)

**Value**

list with the initial murder location(s) as the starting point(s)

**Examples**

```
possibilities = start_round(64)
possibilities = start_round(128)
```

---

take_a_carriage	<i>Track carriage movement</i>
-----------------	--------------------------------

---

**Description**

Track two steps of unknown movement by Jack, on roads

**Usage**

```
take_a_carriage(paths)
```

**Arguments**

paths list of all possible paths already traveled

**Value**

list of all possible paths traveled by Jack

**Examples**

```
possibilities = start_round(64)
possibilities = take_a_carriage(possibilities)
```

---

take_a_step	<i>Track one movement</i>
-------------	---------------------------

---

**Description**

Track one step of unknown movement by Jack, either on roads or through alleyways

**Usage**

```
take_a_step(paths, roads, blocked = NULL)
```

**Arguments**

paths	list of all possible paths already traveled
roads	data.frame of non-directional edge pairs for either the road graph or the alley graph
blocked	list of node pairs which cannot be traversed because a police officer blocks it (should not be used for special movement)

**Details**

The non-directional edge pairs are available via `data(roads)` or `data(alley)` This function does not account for the rule that Jack cannot travel through a road occupied by a police officer.

**Value**

list of all possible paths traveled by Jack

**Examples**

```
possibilities = start_round(64)
possibilities = take_a_step(possibilities, roads)
possibilities = take_a_step(possibilities, roads, blocked=list(c(63,82),c(63,65)))
possibilities = take_a_step(possibilities, alley)
```

---

trim_possibilities	<i>Trim possible paths</i>
--------------------	----------------------------

---

**Description**

Remove known impossible end points for Jack, typically as a result of having found, but not arrested Jack.

**Usage**

```
trim_possibilities(paths, node)
```

**Arguments**

paths	list of all possible paths already traveled
node	vector of length 1 or 2 which specifies blocked nodes due to the presence of a policeman

**Value**

list of trimmed possible paths traveled by Jack

**Examples**

```
possibilities = start_round(64)
possibilities = take_a_carriage(possibilities)
possibilities = trim_possibilities(possibilities,82)
possibilities = trim_possibilities(possibilities,c(66,67))
```

# Index

## \* datasets

- alley, [2](#)
- node\_locations, [4](#)
- roads, [4](#)

alley, [2](#)

end\_round, [2](#)

inspect\_space, [3](#)

node\_locations, [4](#)

roads, [4](#)

show\_board, [5](#)

start\_round, [6](#)

take\_a\_carriage, [6](#)

take\_a\_step, [7](#)

trim\_possibilities, [7](#)